

TEST REPORT NO.: SHE16-07083 Date: 2016/10/12 2016/09/19

Factory Name JACK WOLFSKIN

Factory Address Jack Wolfskin Kreisel 1, 65510 Idstein/Ts., Germany

The following sample was collected by the SGS:

Sampling Date: 2016/09/27
Sample Receiving Date: 2016/09/27

Sample Received Quantity: Inlet water 8L, Raw water 8L, sludge 500g

Sample Description: 1.Inlet water

2.Raw water3.sludge

Buyer Name: Jack Wolfskin

Importer Name: 5408

Country of Origin: CHINA

Country of Destination: CHINA

Factory Discharge Location: 5408

Test Performing Period 2016/09/27 TO 2016/10/12

Remarks

- 1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
- 2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.

Disclaimer:

The reporting limits will be subjected to adjustment if significant matrix interference is observed during the analytical process

Signed for and on hehalf of

Eddy Shon

Eddy SHEN

Lab Manager



1



| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|---|---------------------------|--|--------------------|------------|-------------|---|---------------------|-------|-------------|
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplin | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| Phthalates | | | | | | | | | |
| Di(2-Ethyl Hexyl) Phthalate (DEHP) | 117-81-7 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS | 10 | μg/L | n.d. | 17 | 0,3 | mg/kg | 59,2 |
| Bis(2-methoxyethyl)phthalate (DMEP) | 117-82-8 | analysis With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Di-N-Octyl Phthalate (DNOP) | 117-84-0 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Di-Iso-Decyl Phthalate (DIDP) | 26761-40-0, 68515-49-1 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Di-Iso-Nonyl Phthalate (DINP) | 28553-12-0, 68515-48-0 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Di-N-Hexyl Phthalate (DNHP) | 84-75-3 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Dibutyl Phthalate (DBP) | 84-74-2 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Benzyl Butyl Phthalate (BBP) | 85-68-7 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Dinonyl phthalate (DNP) | 84-76-4 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Diethyl Phthalate (DEP) | 84-66-2 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Di-N-Propyl Phthalate (DPRP) | 131-16-8 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Di-Iso-Butyl Phthalate (DIBP) | 84-69-5 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis With reference to USEPA 8270D, ISO 18856, | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Dicyclohexyl Phthalate (DCHP) | 84-61-7 | or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| Di-Iso-Octyl Phthalate (DIOP) | 27554-26-3 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis With reference to USEPA 8770D, ISO 18856. | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| 1,2-Benzenedicaboxylic acid, Di-C7-11 Branched and Linear Alkyl Esters (DHNUP) | 68515-42-4 | or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| 1,2-Benzenedicaboxylic acid, Di-C6-8 Branched Alkyl Esters, C7-rich (DIHP) | 71888-89-6 | With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis | 10 | μg/L | n.d. | n.d. | 0,3 | mg/kg | n.d. |
| | | | | | | | | | |
| Flame retardants | | | | | | | | | |
| Polybrominated biphenyls (PBBs) | 59536-65-1 | With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis With reference to USEPA 527, USEPA 8321B, | 5 | μg/L | n.d. | n.d. | 0,03 | mg/kg | n.d. |
| Pentabromodiphenyl ethers (PentaBDE) | 32534-81-9 | With reference to USEPA 527, USEPA 83218, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis With reference to USEPA 527, USEPA 83218, | 5 | μg/L | n.d. | n.d. | 0,03 | mg/kg | n.d. |
| Octabromodiphenyl ethers (OctaBDE) | 32536-52-0 | With reference to USEPA 527, USEPA 83218, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis With reference to USEPA 527, USEPA 83218, | 5 | μg/L | n.d. | n.d. | 0,03 | mg/kg | n.d. |
| Decabromodiphenyl ethers (DecaBDE) | 1163-19-5 | ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,03 | mg/kg | n.d. |
| Tris(2-chloroethyl) phosphate (TCEP) | 115-96-8 | With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |



The document is studied by the Company subject to its General Conditions of Service private coverant, available on request or processor because at a first jewer as a channel from an of Conditions from a Condition from the Conditio



| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|---|--|--|--------------------|------------|-------------|---|---------------------|-------|-------------|
| Report No.: SHE16-07083 | | | Sampling | J Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplii | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| Tris(1-aziridinyl)phosphine oxide) (TEPA) | 545-55-1 | With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |
| Tetrabromobisphenol A (TBBPA) | 79-94-7 | With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |
| Hexabromocyclododecane (HBCDD) | 134237-50-6, 134237-51-7, 134237-52-8, | With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |
| Bis(2,3-dibromopropyl)phosphate (BIS) | 5412-25-9 | With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |
| Tris(2,3-dibromopropyl) phosphate (TRIS) | 126-72-7 | With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis With reference to USEPA 527, USEPA 8321B, | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |
| 2,2-Bis(bromomethyl)-1,3-propanediol (BBMP) | 3296-90-0 | ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis With reference to USEPA 527, USEPA 8321B, | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |
| Tris(1,3-dichloro-2-propyl) phosphate (TDCPP) | 13674-87-8 | ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,25 | mg/kg | n.d. |
| Azo dyes | | | | | | | | | |
| 4-Aminodiphenyl | 92-67-1 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Benzidine | 92-87-5 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 4-Chloro-o-Toluidine | 95-69-2 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2-Naphthylamine | 91-59-8 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| o-Aminoazotoluene | 97-56-3 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2-Amino-4-Nitrotoluene | 99-55-8 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| p-Chloroaniline | 106-47-8 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,4-Diaminoanisole | 615-05-4 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 4,4'-Diaminodiphenylmethane | 101-77-9 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 3,3'-Dichlorobenzidine | 91-94-1 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 3,3'-Dimethoxybenzidine | 119-90-4 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 3,3'-Dimethylbenzidine | 119-93-7 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |





| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|---|------------|--|--------------------|------------|-------------|---|---------------------|-------|-------------|
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplii | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| 3,3'-Dimethyl-4,4'diaminodiphenylmethane | 838-88-0 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| p-Cresidine | 120-71-8 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 4,4'-Methylene-Bis(2-Chloroaniline) | 101-14-4 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC With reference to EPA 8270D, EN 14362 or | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 4,4'-Oxydianiline | 101-80-4 | Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 4,4'-Thiodianiline | 139-65-1 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| o-Toluidine | 95-53-4 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,4-Toluylenediamine | 95-80-7 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,4,5-Trimethylaniline | 137-17-7 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| o-Anisidine | 90-04-0 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| p-Aminoazobenzene | 60-09-3 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,4-Xylidine | 95-68-1 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,6-Xylidine | 87-62-7 | With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithonite reduction followed by GC/MS and HPLC | 0,1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| | | | | | | | | | |
| Carcinogenic dyes and Disperse dyes | | | | | | | | | |
| Acid Red 26 | 3761-53-3 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Basic Blue 26 | 2580-56-5 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Basic Red 9 | 569-61-9 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Basic Violet 14 | 632-99-5 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Basic Green 4 (malachite green) | 10309-95-2 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Basic Green 4 (malachite green chloride)^ | 569-64-2 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Basic Green 4 (malachite green oxalate)^ | 2437-29-8 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Direct Blue 6 | 2602-46-2 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |





| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|--------------------------|---------------------------|--|--------------------|------------|-------------|---|---------------------|-------|-------------|
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplin | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| <u> </u> | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| Direct Black 38 | 1937-37-7 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Direct Red 28 | 573-58-0 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Brown 1 | 23355-64-8 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 1 | 2475-45-8 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 3 | 2475-46-9 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 7 | 3179-90-6 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 26 | 3860-63-7 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 35 | 12222-75-2, 56524-77-7 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 102 | 12222-97-8 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 106 | 12223-01-7 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Blue 124 | 61951-51-7 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Orange 1 | 2581-69-3 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Orange 3 | 730-40-5 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Orange 11 | 82-28-0 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Orange 37/59/76 | 13301-61-6 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Red 1 | 2872-52-8 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Red 11 | 2872-48-2 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Red 17 | 3179-89-3 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Yellow 1 | 119-15-3 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Yellow 3 | 2832-40-8 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Yellow 9 | 6373-73-5 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Yellow 39 | 12236-29-2 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Disperse Yellow 49 | 54824-37-2 | Solvent extraction followed by LC/MS analysis. | 5000 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |





| Sample ID 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|--|---|---------------------|-------|-------------|
| Penert No.: CHESCO7022 | | | | |
| Report No.: She 16-07/065 | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 Sampling Time 11:00 | 11:00 | | | 11:00 |
| Factory Address: Date Sampled 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| Date Received 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| Sample Description Water | Water | | | Sludge |
| ITEMS CAS No. METHODS Reporting Limit UNIT Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| | | | | |
| Organotin Compounds | | | | |
| With reference to ISO17353 and derivatisation Mono-, di- and tri-methyltin derivatives Multiple With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed 0,01 µg/L n.d. by GC/MS analysis. With reference to ISO17353 and derivatisation | n.d. | 0,01 | mg/kg | n.d. |
| Monomethyltin (MMT) Multiple with sodium diethyl dithiocarbamate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation Dimethyltin (DMT) Multiple With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis. With reference to ISO17353 and derivatisation | n.d. | 0,01 | mg/kg | n.d. |
| Trimethyltin (TMT) Multiple with sodium diethyl dithiocarbamate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation Mono-, di- and tri-butyltin derivatives Multiple With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbanate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| Monobutyltin (MBT) 1118-46-3, 78763-54-9 With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbanate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed 0,01 µg/L n.d. by GC/MS analysis. With reference to ISO17353 and derivatisation | n.d. | 0,01 | mg/kg | n.d. |
| Tributyltin (TBT) 56573-85-4 with sodium diethyl dithiocarbamate followed by GC/MS analysis. 0,01 µg/L n.d. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation Mono-, di- and tri-octyltin derivatives Multiple With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation Monooctyltin (MOT) 15231-57-9 with sodium diethyl dithiocarbamate followed 0,01 µg/L n.d. by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| Dioctyltin (DOT) 94410-05-6, 12531-44-4 With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis. With reference to ISO17353 and derivatisation | n.d. | 0,01 | mg/kg | n.d. |
| Trioctyltin (TOT) Multiple with sodium diethyl dithiocarbamate followed by GC/MS analysis. 0,01 µg/L n.d. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation Mono-, di- and tri-phenyltin derivatives Multiple With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation Monophenyltin (MPhT) Multiple With reference to ISO17353 and derivatisation with sodium diethyl dithiocardmate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to ISO17353 and derivatisation Diphenyltin (DPhT) Multiple With sodium diethyl dithiocarbamate followed 0,01 µg/L n.d. by GC/MS analysis | n.d. | 0,01 | mg/kg | n.d. |
| Triphenyltin (TPhT) 892-20-6, 668-34-8 With reference to IsO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis. With reference to IsO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis. | n.d. | 0,01 | mg/kg | n.d. |
| Chlorobenzenes and Chlorotoluenes | | | | |
| Dichlorobenzenes Multiple | - | - | - | - |
| With reference to USEPA 8260B, USEPA 1,2-Dichlorobenzene 95-50-1 With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis With reference to USEPA 8260B, USEPA 0,2 µg/L n.d. | n.d. | 0,01 | mg/kg | n.d. |
| With reference to USEPA 8260B, USEPA 1,3-Dichlorobenzene 541-73-1 8270D or Solvent extraction followed by 0,2 µg/L n.d. GC/MS analysis | n.d. | 0,01 | mg/kg | n.d. |
| With reference to USEPA 8260B, USEPA 1,4-Dichlorobenzene With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis GC/MS analysis | n.d. | 0,01 | mg/kg | n.d. |





| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|----------------------------|------------|---|--------------------|------------|-------------|---|---------------------|-------|-------------|
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplin | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| Trichlorobenzene | Multiple | - | - | - | - | - | - | - | - |
| 1,2,3-Trichlorobenzene | 87-61-6 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 1,2,4-Trichlorobenzene | 120-82-1 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis With reference to USEPA 8260B, USEPA | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 1,3,5-Trichlorobenzene | 108-70-3 | 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Tetrachlorobenzene | 12408-10-5 | - | - | - | - | - | - | - | - |
| 1,2,3,4-Tetrachlorobenzene | 634-66-2 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 1,2,3,5-Tetrachlorobenzene | 634-90-2 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 1,2,4,5-Tetrachlorobenzene | 95-94-3 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Pentachlorobenzene | 608-93-5 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis With reference to USEPA 8260B, USEPA | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Hexachlorobenzene | 118-74-1 | 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Chlorotoluenes | Multiple | - | - | - | - | - | - | - | - |
| 2-Chlorotoluene | 95-49-8 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 3-Chlorotoluene | 108-41-8 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 4-Chlorotoluene | 106-43-4 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Dichlorotoluenes | Multiple | - | - | - | - | - | - | - | - |
| 2,3-Dichlorotoluene | 32768-54-0 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,4-Dichlorotoluene | 95-73-8 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,5-Dichlorotoluene | 19398-61-9 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 2,6-Dichlorotoluene | 118-69-4 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis With reference to USEPA 8260B, USEPA | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| 3,4-Dichlorotoluene | 95-75-0 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Trichlorotoluenes | Multiple | - | - | - | - | - | - | - | - |
| 2,3,6-Trichlorotoluene | 2077-46-5 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |





| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|--|-----------|--|--------------------|------------|-------------|---|---------------------|-------|-------------|
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplii | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| 2,4,5-Trichlorotoluene | 6639-30-1 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Alpha,2,4-Trichlorotoluene | 94-99-5 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Alpha,2,6-Trichlorotoluene | 2014-83-7 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Alpha,3,4-Trichlorotoluene | 102-47-6 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Tetrachlorotoluenes | Multiple | - | - | - | - | - | - | - | - |
| Alpha,alpha,2,6-Tetrachlorotoluene | 81-19-6 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Alpha,alpha,alpha,2-Tetrachlorotoluene | 2136-89-2 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Alpha,alpha,alpha,4-Tetrachlorotoluene | 5216-25-1 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Pentachlorotoluene | 877-11-2 | With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis | 0,2 | μg/L | n.d. | n.d. | 0,01 | mg/kg | n.d. |
| Halogenated solvents & Volatile organic compounds (VOCs) | | | | | | | | | |
| 1,2-Dichloroethane | 107-06-2 | With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | 20 | 0,1 | mg/kg | n.d. |
| Methylene chloride | 75-09-2 | With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Trichloroethene | 79-01-6 | With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Tetrachloroethene | 127-18-4 | With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| Benzene | 71-43-2 | With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis With reference to ISO 11423-1, Purge&Trap, | 1 | μg/L | n.d. | 23 | 0,1 | mg/kg | n.d. |
| Xylene | 1330-20-7 | With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis With reference to ISO 11423-1, Purge&Trap, | 1 | μg/L | n.d. | 923 | 0,1 | mg/kg | n.d. |
| o-cresol | 95-48-7 | Head-space or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 0,1 | mg/kg | n.d. |
| p-cresol | 106-44-5 | With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis With reference to ISO 11423-1, Purge&Trap, | 1 | μg/L | n.d. | n.d. | 0,1 | mg/kg | 16 |
| m-cresol | 108-39-4 | Head-space or Solvent extraction followed by GC/MS analysis | | | | | | | |





| | | | | | | | | | - |
|----------------------------|------------|---|--------------------|------------|-------------|---|---------------------|-------|-------------|
| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplin | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| _ | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| | | | | | | | | | |
| Chlorophenols | | | | | | | | | |
| Pentachlorophenols (PCP) | 87-86-5 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| Tetrachlorophenols (TeCP) | 25167-83-3 | - | - | - | - | - | - | - | - |
| 2,3,4,5-Tetrachlorophenol | 4901-51-3 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. With reference to USEPA 8270D or Solvent | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,3,4,6-Tetrachlorophenol | 58-90-2 | extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,3,5,6-tetrachlorophenol | 935-95-5 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| Trichlorophenol (TriCP) | 25167-82-2 | - | - | - | - | - | - | - | - |
| 2,3,4-trichlorophenol | 15950-66-0 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,3,5-trichlorophenol | 933-78-8 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,4,5-trichlorophenol | 95-95-4 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,4,6-trichlorophenol | 88-06-2 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 3,4,5-trichlorophenol | 609-19-8 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| Dichlorophenols (DiCP) | 25167-81-1 | - | - | - | - | - | - | - | - |
| 2,3-dichlorophenol | 576-24-9 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,4-dichlorophenol | 120-83-2 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,5-dichlorophenol | 583-78-8 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 2,6-dichlorophenol | 87-65-0 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 3,4-dichlorophenol | 95-77-2 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 3,5-dichlorophenol | 591-35-5 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| Monochlorophenols (MonoCP) | Various | - | - | - | - | - | - | - | - |
| 2-chlorophenol | 95-57-8 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 3-chlorophenol | 108-43-0 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |
| 4-chlorophenol | 106-48-9 | With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis. | 0,5 | μg/L | n.d. | n.d. | 0,025 | mg/kg | n.d. |





| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|---|---------------------------------------|--|--------------------|------------|--------------|---|---------------------|-------|--------------|
| | | | - | | 10 07 400 01 | Raw water | | | 10 07 400 00 |
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplii | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| | | | | | | | | | |
| Short Chain Chlorinated Paraffins with C10 –C13 (SCCPs) | | | | | | | | | |
| Short Chain Chlorinated Paraffins (SCCP), C_{10} - C_{13} | 85535-84-8 | With reference to ISO 22032, USEPA 527, USEPA 8321B or Solvent extraction followed by GC/ECD or GC/NCI analysis | 5 | μg/L | n.d. | n.d. | 0,03 | mg/kg | 2,90 |
| Heavy Metals | | | | | | | | | |
| Total Lead (Pb) | 7439-92-1 | With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or | 100 | μg/L | n.d. | n.d. | 1 | mg/kg | 12 |
| Total Cadmium (Cd) | 7440-43-9 | With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or | 100 | μg/L | n.d. | n.d. | 1 | mg/kg | n.d. |
| Total Mercury (Hg) | 7439-97-6 | With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, USEPA 7473, ISO 18412 or Acid Digestion followed by | 10 | μg/L | n.d. | n.d. | 0,006 | mg/kg | 0,14 |
| Total Antimony (Sb) | 7440-36-0 | With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or | 100 | μg/L | n.d. | 279 | 1 | mg/kg | 34 |
| Total Arsenic (As) | 7440-38-2 | With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or | 50 | μg/L | n.d. | n.d. | 1 | mg/kg | 7 |
| Total Chromium (Cr) | 7440-47-3 | With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or With reference to USEPA 600.00 (ISO 400.00 ISO 4 | 200 | μg/L | n.d. | n.d. | 1 | mg/kg | 226 |
| Total Hexavalent Chromium (Cr-VI) | 7440-47-3, 18540-29-9 | With reference to USEPA 218.6, ISO 18412 or Solvent extraction and derivatisation followed by UV/Vis analysis With reference to USEPA 200.7, USEPA | 50 | μg/L | n.d. | n.d. | 1 | mg/kg | n.d. |
| Total Nickel (Ni) | 7440-02-0 | 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or With reference to USEPA 200.7, USEPA | 200 | μg/L | n.d. | n.d. | 1 | mg/kg | 8 |
| Total Copper (Cu) | 7440-50-8 | 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or With reference to USEPA 200.7, USEPA | 2000 | μg/L | n.d. | n.d. | 1 | mg/kg | 137 |
| Total Zinc (Zn) | 7440-66-6 | 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or With reference to USEPA 200.7, USEPA | 500 | μg/L | n.d. | n.d. | 4 | mg/kg | 467 |
| Total Cobalt (Co) | 7440-48-4 | 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or With reference to USEPA 200.7, USEPA | 50 | μg/L | n.d. | n.d. | 1 | mg/kg | 15 |
| Total Silver (Ag) | 7440-22-4 | 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or | 100 | μg/L | n.d. | n.d. | 1 | mg/kg | n.d. |
| Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs) | | | | | | | | | |
| Nonylphenol | Multiple, including 25154-52-3, | With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,2 | mg/kg | n.d. |
| Octylphenol | Multiple, including 140-66-9, | With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,2 | mg/kg | n.d. |
| NPEO, n=1~18 | Multiple, including 9016-45-9, | With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,2 | mg/kg | 0,2 |
| OPEO, n=1~18 | Multiple, including 9002-93-1, | With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis | 5 | μg/L | n.d. | n.d. | 0,2 | mg/kg | n.d. |



The document is issued by the Company subject to its General Conditions of Service private controls, available on register or processed because it is first joiners as of some first and Conditions from a Security and Conditions from a Security American Security and the security

r email: CN_Deccheck@sss.com 8° Building, No.889 Yishan Road, Xuhui District, Shenghai, China 200233



| | | ONGANIC & INONGAN | IC ANAL IS | 10 | | | | | |
|---|---|--|--------------------|------------|-------------|---|---------------------|-------|-------------|
| | | | Samp | ole ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
| Report No.: SHE16-07083 | | | Sampling | Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplin | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| _ | | | Sample D | escription | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| | | | | | | | | | |
| Perfluorinated / Polyfluorinated Chemicals (PFCs) | | | | | | | | | |
| PFOS | 1763-23-1 | With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis | 0,01 | μg/L | n.d. | n.d. | 0,001 | mg/kg | n.d. |
| PFOA | 335-67-1 | With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis | 0,01 | μg/L | 0,03 | n.d. | 0,001 | mg/kg | 0,017 |
| PFBS | 375-73-5, 59933-66-3, 29420-49-3, | With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis | 0,01 | μg/L | n.d. | n.d. | 0,001 | mg/kg | n.d. |
| PFHxA | 307-24-4 | With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis | 0,01 | μg/L | n.d. | n.d. | 0,001 | mg/kg | n.d. |
| 6:2 FTOH | 647-42-7 | With reference to DIN38407-42 or CEN/TS 15968 and derivatisation with acetic anhydride followed by GC/MS analysis. | 1 | μg/L | n.d. | n.d. | 0,01 | mg/kg | 0,07 |
| 8:2 FTOH | 678-39-7 | With reference to DIN38407-42 or CEN/TS 15968 and derivatisation with acetic anhydride followed by GC/MS analysis. | 1 | μg/L | n.d. | 7 | 0,01 | mg/kg | 1,36 |
| | | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons (PAHs) | | | | | | | | | |
| Bezno[a]pyrene | 50-32-8 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Anthracene | 120-12-7 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Pyrene | 129-00-0 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Benzo[ghi]perylene | 191-24-2 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Benzo[e]pyrene | 192-97-2 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Indeno[1,2,3-cd]pyrene | 193-39-5 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Benzo[j]fluoranthene | 205-82-3 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Benzo[b]fluoranthene | 205-99-2 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Fluoranthene | 206-44-0 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |





| | | | Samp | ple ID | 16-07433-01 | 16-07433-02 | | | 16-07433-03 |
|-----------------------------------|------------|---|--------------------|-------------|-------------|---|---------------------|-------|-------------|
| Report No.: SHE16-07083 | | | Sampling | g Location | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | | | Sludge |
| Factory Name:5408 | | | Samplii | ng Time | 11:00 | 11:00 | | | 11:00 |
| Factory Address: | | | Date S | ampled | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Date R | eceived | 27.09.2016 | 27.09.2016 | | | 27.09.2016 |
| | | | Sample D | Description | Water | Water | | | Sludge |
| ITEMS | CAS No. | METHODS | Reporting Limit | UNIT | Inlet water | Raw water (with ETP plant) / Raw water (without ETP plant) | Reporting Limit* | UNIT | Sludge |
| Benzo[k]fluoranthene | 207-08-9 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Acenaphthylene | 208-96-8 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Chrysene | 218-01-9 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Dibenz[a,h]anthracene | 53-70-3 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Benzo[a]anthracene | 56-55-3 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Acenaphthene | 83-32-9 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Phenanthrene | 85-01-8 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Fluorene | 86-73-7 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Naphthalene | 91-20-3 | With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis | 1 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Charle | | | | | | | | | |
| Glycols | | With reference to USEPA 8270D or Solvent | | | | | | | |
| Bis(2-methoxyethyl)-ether | 111-96-6 | extraction followed by GC/MS or LC/MS analysis With reference to USEPA 8270D or Solvent | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| 2-Ethoxyethanol | 110-80-5 | extraction followed by GC/MS or LC/MS analysis With reference to USEPA 8270D or Solvent | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| 2-Ethoxyethyl acetate | 111-15-9 | extraction followed by GC/MS or LC/MS analysis With reference to USEPA 8270D or Solvent | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Ethylene glycol dimethyl ether | 110-71-4 | extraction followed by GC/MS or LC/MS analysis With reference to USEPA 8270D or Solvent | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| 2-Methoxyethanol | 109-86-4 | extraction followed by GC/MS or LC/MS analysis With reference to USEPA 8270D or Solvent | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| 2-Methoxyethylacetate | 110-49-6 | with reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis With reference to USEPA 8270D or Solvent | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| 2-Methoxypropylacetate | 70657-70-4 | extraction followed by GC/MS or LC/MS analysis | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |
| Triethylene glycol dimethyl ether | 112-49-2 | With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis | 5000 | μg/L | n.d. | n.d. | 10 | mg/kg | n.d. |



American to School the authenticity of testing (impection report & certificate, please contact us at telephone (84-793)892*146.3 中面 - 上海 - 徐正区宜山接889号号楼 鄭嶽: 20223 1 (86-51)8170288 1 (88-51)8151244 www.appropuro.com.or

Remarks:
n.d. = Not Detected

^The test result is based of the calculation of selected element(s) and to the worst-case scenario

*Base on client requirement

Moisture content of sludge = 75.2%



PHOTOGRAPHS

Inlet water



Raw water (with ETP plant) / Raw water (without ETP plant)



Sludge



*** End Of Report ***

